ARM TYPE BLOOD PRESSURE MONITOR




NIMO[®] Automatic Arm Blood Pressure Monitor measures the oscillation or vibration of the blood pressure in the arm on the vessel wall. It provides a very fast and reliable measurement of heart rate along with systolic and diastolic blood pressure with the oscillometric method, and its accuracy has been clinically proven. Nimo[®] Automatic Arm Blood Pressure Monitor, which is easy to use and provides reliable blood pressure measurement results, is designed to be user-friendly.

Thanks to HKD-02 Automatic Sphygmomanometer Get Accurate Measurements of Blood Pressure


Arrhythmia con	trol
Automatic cuff	control
Cuff design con pregnant individ	npatible with Standart, obese and duals
Dual-user meas	surement log
2x120 pcs mem	ory
Easy to read wi	th super large LCD display
One-click meas	urement
Auto shut off	
External power	adapter support
Calculate the av	verage of the last 3 measurements
Indicator Low b	oattery

B nimo®



Cuff is compatible with every adult individual

This multifunctional special cuff, which appeals to every adult individual regardless of weight difference, provides you with ease of use.



- www.hunkarmedikal.com

High capacity of memory


Measurements taken from users are recorded in two different sections as users A and B. Nimo ® Arm Type Blood Pressure Monitor can securely store the last 120 records of both users and also view the average of our last 3 metrics.

Your heart rhythms are now under your control

During an arrhythmia, your heart may beat too fast (tachycardia), too slow (bradycardia), or irregularly. Take control of your heartbeats. Your health is substantial to us.

B Inimo®

Nimo [®] Arm Type Blood Pressure Monitor has been designed with your comfort keeping in mind with its special cuff, large LCD screen, memory that can calculate the measurement average, and the ability to work with an adapter. Accurate measurements with one button...



TECHNICIAL SPECIFICATIONS

Prodcut Type	Upper arm type
Measurement Range	DIA: 40-130 mmHg SYS: 60-230 mmHg Pulse: 40-199 atım/dk
Accuracy	Blood pressure : ±3mmHg Pulse: ±5%of the reading
Memory	2*120 groups memory (Double users)
Average Function	Last 3 groups average measuring value
Material	ABS+LCD Display
Cuff Circumference	22-40 cm
Power Supply	Internal-DC 6V (4*AAA) / External-DC 5V 1A
Operating Conditions	Temperature: 5°C ~ 40°C Humidity : 15% to 93% RH. Pressure altitude: 70 ~ 106 kPa
Storage And Shipping Conditions	Temperature: -25°C ~ 70°C Humidity : ≤93% RH. Pressure altitude: 70 ~ 106 kPa

B nim 0®



Box Content of Nimo® Arm Type Blood Pressure Monitor

1 Piece HKD-02 Blood Pressure Monitor	1 Piece Cuff	User Manual and Warranty Card	4 Piece AAA Battery
---	-----------------	-------------------------------------	------------------------

